

| TÍTULO | REVISTA | FI | Q/D |
|---|---|-------|-----|
| Antimicrobial management of <i>Tropheryma whipplei</i> endocarditis: the Spanish Collaboration on Endocarditis (GAMES) experience | JOURNAL OF ANTIMICROBIAL CHEMOTHERAPY | 5,113 | D1 |
| Outpatient Parenteral Antibiotic Treatment for Infective Endocarditis: A Prospective Cohort Study From the GAMES Cohort | CLINICAL INFECTIOUS DISEASES | 9,055 | D1 |
| Role of age and comorbidities in mortality of patients with infective endocarditis | EUROPEAN JOURNAL OF INTERNAL MEDICINE | 3,660 | Q1 |
| Effect of the type of surgical indication on mortality in patients with infective endocarditis who are rejected for surgical intervention | INTERNATIONAL JOURNAL OF CARDIOLOGY | 3,471 | Q2 |
| Mitral valve repair in infective endocarditis is not inferior to valve replacement: results from a Spanish nationwide prospective registry | GENERAL THORACIC AND CARDIOVASCULAR SURGERY | 1,219 | Q3 |
| Effectiveness and safety of daclatasvir/sofosbuvir with or without ribavirin in genotype 3 hepatitis C virus infected patients. Results in real clinical practice | REVISTA ESPANOLA DE QUIMIOTERAPIA | 0,760 | Q4 |
| Similar plasma lipidomic profile in people living with HIV treated with a darunavir-based or an integrase inhibitor-based antiretroviral therapy | SCIENTIFIC REPORTS | 4,011 | Q1 |
| VDR rs2228570 Polymorphism Is Related to Non-Progression to AIDS in Antiretroviral Therapy Naive HIV-Infected Patients | JOURNAL OF CLINICAL MEDICINE | 5,688 | D1 |

| | | | |
|--|--------------------------------|--------|----|
| Effectiveness and safety of sofosbuvir/velpatasvir/voxilaprevir in patients with chronic hepatitis C previously treated with DAAs | JOURNAL OF HEPATOLOGY | 18,946 | D1 |
| DBP rs16846876 and rs12512631 polymorphisms are associated with progression to AIDS naive HIV-infected patients: a retrospective study | JOURNAL OF BIOMEDICAL SCIENCE | 5,203 | Q1 |
| Diverse Large HIV-1 Non-subtype B Clusters Are Spreading Among Men Who Have Sex With Men in Spain | FRONTIERS IN MICROBIOLOGY | 4,259 | Q1 |
| Spatiotemporal Characteristics of the Largest HIV-1 CRF02_AG Outbreak in Spain: Evidence for Onward Transmissions | FRONTIERS IN MICROBIOLOGY | 4,259 | Q1 |
| IL7RA rs6897932 Polymorphism Is Associated with Better CD4(+) T-Cell Recovery in HIV Infected Patients Starting Combination Antiretroviral Therapy | BIOMOLECULES | 4,694 | Q1 |
| Choice of the initial antiretroviral treatment for HIV-positive individuals in the era of integrase inhibitors | PLOS ONE | 2,776 | Q2 |
| Predictors of Hepatitis C Treatment Failure After Using Direct-Acting Antivirals in People Living With Human Immunodeficiency Virus | OPEN FORUM INFECTIOUS DISEASES | 3,371 | Q2 |
| Correlation between Streptococcus bovis bacteremia and density of cows in Galicia, northwest of Spain | INFECTION | 2,927 | Q2 |

| | | | |
|--|--|-------|----|
| Evolving understanding of cardiovascular, cerebrovascular and peripheral arterial disease in people living with HIV and role of novel biomarkers. A study of the Spanish CoRIS cohort, 2004-2015 | PLOS ONE | 2,776 | Q2 |
| Liver-related events and mortality among elderly patients with advanced chronic hepatitis C treated with direct-acting antivirals | PLOS ONE | 2,776 | Q2 |
| Treatment with tenofovir alafenamide fumarate worsens the lipid profile of HIV-infected patients versus treatment with tenofovir disoproxil fumarate, each coformulated with elvitegravir, cobicistat, and emtricitabine | BASIC & CLINICAL PHARMACOLOGY & TOXICOLOGY | 2,452 | Q3 |
| Reasons for noncompliance with the national guidelines for initial antiretroviral therapy of HIV-infected patients in Spain, 2010-2015 | ENFERMEDADES INFECCIOSAS Y MICROBIOLOGIA CLINICA | 1,685 | Q4 |
| Screening of infection due to the human immunodeficiency virus in primary healthcare with indicators of suspicion: DIVAPIS study | GALICIA CLINICA | | |